

號碼(No.) : CE/2010/C2715 日期(Date) : 2010/12/22 頁數(Page) : 1 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

: YPU25*

收件日期(Sample Receiving Date)

: 2010/12/15

測試期間(Testing Period)

: 2010/12/15 TO 2010/12/22

測試結果(Test Results) :

請見下一頁 (Please refer to next pages).

結論(Conclusion)

根據客户所提供的樣品,其鎬、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的測試結果 符合RoHS(2002/95/EC)及其修定指令之要求 (Based upon the performed tests by submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs comply with the limits of RoHS Directive 2002/95/EC and its subsequent amendments).



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 2 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : 棕色液體 (BROWN LIQUID)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法,以感應耦合 電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	1000
汞 / Mercury (Hg)	mg/kg	参考IEC 62321: 2008方法,以感應耦合 電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	參考IEC 62321: 2008方法,以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	1000
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	参考US EPA 3540C: 1996方法,以液相層析/質譜儀檢測全氟辛烷磺酸含量./ With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.	-
全氟辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	参考US EPA 3540C: 1996方法,以液相層析/質譜儀檢測全氟辛酸(銨)含量./ With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製。



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 3 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 000079-94-7)	mg/kg	参考DIN 53313方法,以氣相層析儀/質 譜儀檢測./ With reference to DIN 53313 method. Analysis was performed by GC/MS.	10	n.d.	-
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 085535-84-8)	%	参考US EPA 3540C方法,以氣相層析/質 譜儀檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.01	n.d.	-
六溴環十二烷 / Hexabromocyclododecane (HBCDD) (CAS No.: 025637-99-4)	mg/kg	参考US EPA 3540C方法,以氣相層析/質 譜儀檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.	-
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 000085-68- 7)	%	參考EN 14372, 以氣相層析儀/質譜儀檢 測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 000084-74-2)	%	参考EN 14372, 以氣相層析儀/質譜儀檢 測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 000117-81-7)	%	參考EN 14372, 以氣相層析儀/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
鹵素 / Halogen 鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 022537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 4 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	-
矽氧烷 / Siloxanes					
D3: Hexamethyl-cyclotrisiloxane			5	n.d.	-
D4: Octamethyl-cyclotetrasiloxane			5	n.d.	ı
D5: Decamethyl-cyclopentasiloxane			5	n.d.	ı
D6: Dodecamethyl-cyclohexasiloxane			5	n.d.	ı
D7: Tetradecamethyl-cycloheptasiloxane	mg/kg	萃取16小時,以GCMS檢測之. / Extracted 16 hrs, Analysis was	5	n.d.	-
D8: Hexadecamethyl-cyclooctasiloxane		performed by GC/MS.	5	n.d.	-
D9: Octadecamethy1- octacyclononasiloxane			5	n.d.	-
D10: Eisosamethyl-cyclodecasiloxane			5	n.d.	-
總和 / Total			-	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 5 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
多溴聯苯總和 / Sum of PBBs			-	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	ı
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	ı
五溴聯苯 / Pentabromobiphenyl			5	n.d.	ı
六溴聯苯 / Hexabromobiphenyl			5	n.d.	ı
七溴聯苯 / Heptabromobiphenyl			5	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	ı
九溴聯苯 / Nonabromobiphenyl		參考IEC 62321: 2008方法,以氣相層析 儀/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS. 5 - 5	5	n.d.	ı
十溴聯苯 / Decabromobiphenyl	/1			n.d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5 5 5 5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether				n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether				n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether				n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether		5 5	5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 6 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
偶氮 (AZO) 1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 000092-67-1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀檢測./ With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
2): 聯苯胺 / BENZIDINE (CAS No.: 00092-87-5)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
3): 4-氯鄰甲苯胺 / 4-CHLORO-O- TOLUIDINE (CAS No.: 000095-69-2)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
4): 2-萘胺 / 2-NAPHTHYLAMINE (CAS No.: 000091-59-8)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
5): 鄰氨基二甲基偶氮 / O- AMINOAZOTOLUENE (CAS No.: 000097-56- 3)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 000099-55-8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
7): 對氯苯胺 / P-CHLOROANILINE (CAS No.: 000106-47-8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 7 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 000615-05-4)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000101-77-9)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 000091- 94-1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 000119- 90-4)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 000119- 93-7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
13): 3,3'-二甲基-4,4'-二氨基二苯甲烷 / 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 000838-88-0)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
14): 2-甲氧基-5-甲基聯苯 / P- CRESIDINE (2-METHOXY-5-METHYLANILINE) (CAS No.: 000120-71-8)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀檢測./ With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 8 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限值 (Limit)
15): 4,4'-亞甲基雙(氯苯胺)/ 4,4'- METHYLENE-BIS- (2-CHLOROANILINE) (CAS No.: 000101-14-4)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 000101-80-4)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 000139-65-1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
18): 鄰甲苯胺 / O-TOLUIDINE (CAS No.: 000095-53-4)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 000095-80- 7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 000137-17- 7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 000090-04-0)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 9 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	法規 限値 (Limit)
22): 對氨基偶氮苯 / P-AMINOAZOBENZENE (CAS No.: 000060-09-3)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質 譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
23): 2,4-二甲基苯胺 / 2,4-XYLIDINE (CAS No.: 000095-68-1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-
24): 2,6-二甲基苯胺 / 2,6-XYLIDINE (CAS No.: 000087-62-7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.	-

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

PFOS参考資訊(Reference Information): 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%.
 - (May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005% by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件;假若零件上明顯地具有PFOS並參照結構上及微細構造上計 算PFOS重量濃度等於或大於0.1%,而紡織品或其他覆蓋物質,如果PFOS在覆蓋物質中含量等於或大於1μg/m².
 - (May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1% by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1µg/m² of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company、除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 10 of 17


義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.) : CE/2010/C2715 日期(Date) : 2010/12/22 頁數(Page) : 11 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.


桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

索式萃取(LC/MS)分析流程圖 /

Analytical flow chart of Soxhlet extraction (LC/MS) procedure

- 1) 測試人員:傅莉雅 / Name of the person who made measurement: Lydia Fu
- 2) 測試負責人:陳新智 / Name of the person in charge of measurement: Shinjyh Chen
- 測試項目(Test Items): 全氟辛烷磺酸/全氟辛酸(銨)、苯並三唑類化合物 / PFOS/PFOA · Benzotriazole



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 12 of 17

義芳化學工業股份有限公司


YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

分析流程圖 / **Analytical flow chart**

- 1) 測試人員:傅莉雅 / Name of the person who made measurement: Lydia Fu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen
 - 測試項目(Test Items):四溴雙酚-A、雙酚 A/TBBP-A、Bisphenol A



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 13 of 17

義芳化學工業股份有限公司


YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

含氯阻燃劑分析流程 / Chlorinated Flame retardant analytical flow chart

- 1) 測試人員:曾勃鈞 / Name of the person who made measurement: Barry Tseng
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang
- 參考方法(Reference method): US EPA 8270D, US EPA 3540
- 測試項目(Test Items): PCBs, PCNs, PCTs, Mirex, CP, MCCP / 多氯聯苯, 多氯奈, 多氯三聯苯, 滅蟻靈, 氯化石蠟, 中鏈氯化石蠟



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 14 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.


桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

索式萃取(GC/MS)分析流程圖 /

Analytical flow chart of Soxhlet extraction (GC/MS) procedure

- 1) 測試人員:傅莉雅 / Name of the person who made measurement: Lydia Fu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen
 - 測試項目(Test Items): 可塑劑、苯並三唑類化合物、六溴環十二烷、壬酚、單甲基二 溴二苯基甲烷、有機磷化合物 / Phthalate、Benzotriazole、HBCDD、NP、DBBT、 Organic phosphorus compounds



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 15 of 17

義芳化學工業股份有限公司


YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 16 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號


NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN

分析流程圖 / Analytical flow chart

1)測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong

2)測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

■測試項目(Test Items): 多溴聯苯/多溴聯苯醚, 四溴雙酚-A-雙 / PBB/PBDE, TBBP-A-bis



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2010/C2715 日期(Date): 2010/12/22 頁數(Page): 17 of 17

義芳化學工業股份有限公司

YEE FONG CHEMICAL & INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉海湖村海湖東路377號

NO. 377, HAIHU EAST ROAD, HAIHU VILLAGE, LUCHU HSIANG, TAOYUAN HSIEN, TAIWAN



** 報告結尾 (End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試的樣品負責。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.